

IN THE CLAIMS:

Please cancel claims **10, 14, 18** and **20 – 24** without prejudice.

Please substitute the following claims for the pending claims with the same number:

1 1. (currently amended)A method for protecting ~~files~~ images distributed over a
2 network, comprising:

3 retrieving, at an administrative computer, a ~~site map of folders~~
4 ~~and files within~~ list of a plurality of web pages on a server computer file system web
5 site and a list of a plurality of images that are referenced within any of the plurality of
6 web pages, the administrative computer being remote from the server computer and
7 communicatively coupled therewith;

8 displaying, by the administrative computer, the ~~site map~~ list of
9 web pages and the list of images to a user;

10 generating, by the administrative computer, protection status
11 information in response to selection by the user of ~~a plurality of files in~~ at least one
12 web page from the list of web pages or at least one image from the site map list of
13 images, the protection status information designating the ~~plurality of files~~ at least one
14 web page selected by the user as being protected web pages, or the at least one
15 image selected by the user as being protected files images;

16 ~~further displaying, by the administrative computer, characteristic~~
17 icons to indicate (i) web pages all of whose referenced images are protected, (ii)
18 web pages some but not all of whose referenced images are protected, and (iii) web
19 pages none of whose referenced images are protected;

20 sending the protection status information from the administrative
21 computer to the server computer;

22 downloading, by a client computer, ~~at least one file~~ one of the
23 plurality of web pages from the server computer web site, the downloaded web page
24 referencing an image; and

25 copy-protecting the ~~at least one file~~ referenced image by copy-
26 protection software running on the client computer, if the ~~at least one file~~ referenced
27 image is designated by the protection status information as being protected.

1 2. (currently amended)The method of claim 1 ~~wherein said displaying displays~~
2 ~~the site map together with a corresponding protection status for each file in the site~~
3 ~~map, and wherein the method further comprises~~ comprising modifying protection
4 status of ~~a plurality of files~~ at least one web page or at least one image, and wherein
5 said sending sends modified protection status information to the server computer.

1 **3.** (original) The method of claim **1** further comprising recording the
2 protection status information in a protection status database.

1 4. (currently amended)A system for protecting ~~files~~ images distributed over a
2 network, comprising:
3 a user interface within an administrative computer, (a) for
4 displaying a ~~site map of folders and files in~~ list of a plurality of web pages on a server
5 ~~computer file system web site~~, and a list of images that are referenced within any of
6 the plurality of web pages, and (b) for displaying characteristic icons to indicate (i)
7 web pages all of whose referenced images are protected, (ii) web pages some but
8 not all of whose referenced images are protected, and (iii) web pages none of whose
9 referenced images are protected, the administrative computer being remote from the
10 server computer and communicatively coupled therewith;
11 a protection status manager within the administrative computer,
12 for generating protection status information in response to selection by a user of ~~a~~
13 ~~plurality of files in~~ at least one web page from the list of web pages or at least one
14 image from the site map list of images, the protection status information designating
15 the ~~plurality of files~~ at least one web page selected by the user as being protected
16 web pages or the at least one image selected by the user as being protected ~~files~~
17 images;
18 a transmitter within the administrative computer, for sending the
19 protection status information from the administrative computer to the server
20 computer; and
21 a copy-protection module residing on a client computer, for
22 copy-protecting ~~at least one file~~ an image referenced within a web page downloaded
23 from the server computer to the client computer if the ~~at least one file~~ referenced
24 image is designated by the protection status information as being protected.

1 **5.** (currently amended)The system of claim **4** wherein said ~~user interface~~
2 ~~displays the site map together with a corresponding protection status for each file in~~
3 ~~the site map, and wherein the~~ protection status manager modifies protection status
4 of ~~a plurality of files~~ at least one web page or at least one image, and wherein said
5 transmitter sends modified protection status information to the server computer.

1 **6.** (previously presented) The system of claim **4** further comprising a
2 database manager for recording the protection status information in a protection
3 status database.

1 7. (currently amended)A method for protecting ~~files~~ images distributed over a
2 network, comprising:

3 retrieving, at an administrative computer, a ~~site map of folders~~
4 ~~and files within~~ list of a plurality of web pages on a server computer file system web
5 site, and a list of images that are referenced within any of the plurality of web pages,
6 the administrative computer being remote from the server computer and
7 communicatively coupled therewith;

8 displaying, by the administrative computer, the ~~site map~~ list of
9 web pages and the list of images to a user;

10 generating, by the administrative computer, protection status
11 information in response to selection by the user of ~~a plurality of files in~~ at least one
12 web page from the list of web pages or at least one image from the site map list of
13 images, the protection status information designating the ~~plurality of files~~ at least one
14 web page selected by the user as being protected web pages or the at least one
15 image selected by the user as being protected ~~files~~ images;

16 further displaying, by the administrative computer, characteristic
17 icons to indicate (i) web pages all of whose referenced images are protected, (ii)
18 web pages some but not all of whose referenced images are protected, and (iii) web
19 pages none of whose referenced images are protected;

20 sending the protection status information from the administrative
21 computer to the server computer; and

22 encrypting ~~at least one file~~ an image on the server computer, if
23 the ~~at least one file~~ image is designated by the protection status information as
24 being protected.

1 **8.** (currently amended)The method of claim **7** further comprising, in response
2 to a request from a client computer to download a web page that references an
3 unencrypted file image residing on the server computer, transmitting an encrypted
4 file image to the client computer instead of the ~~requested~~ referenced unencrypted
5 file image, if the ~~requested~~ referenced unencrypted file image is designated by the
6 protection status information as being protected.

1 **9.** (currently amended)The method of claim **8** further comprising decrypting
2 the encrypted file image by decoding software running on the client computer,
3 subsequent to the client computer receiving the encrypted file image from the server
4 computer.

1 11. (currently amended) A system for protecting ~~files~~ images distributed
2 over a network, comprising:
3 a user interface within an administrative computer, (a) for
4 displaying a ~~site map of folders and files in~~ list of a plurality of web pages on a server
5 ~~computer file system~~ web site, and list of a plurality of images that are referenced
6 within any of the plurality of web pages, and (b) for displaying characteristic icons to
7 indicate (i) web pages all of whose referenced images are protected, (ii) web pages
8 some but not all of whose referenced images are protected, and (iii) web pages
9 none of whose referenced images are protected, the administrative computer being
10 remote from the server computer and communicatively coupled therewith;
11 a protection status manager within the administrative computer,
12 for generating protection status information in response to selection by a user of ~~a~~
13 ~~plurality of files in~~ at least one web page from the list of web pages or at least one
14 image from the site map list of images, the protection status information designating
15 the ~~plurality of files~~ at least one web page selected by the user as being protected
16 web pages or the at least one image selected by the user as being protected ~~files~~
17 images;
18 a transmitter within the administrative computer, for sending the
19 protection status information from the administrative computer to the server
20 computer; and
21 an encoder for encrypting at least one ~~file~~ image on the server
22 computer, if the at least one ~~file~~ image is designated by the protection status
23 information as being protected.

1 **12.** (currently amended) The system of claim **11** further comprising ~~a file~~ an
2 image copy protector on the server computer for controlling the server computer to
3 transmit, in response to receiving a request from a client computer to download a
4 web page that references an unencrypted ~~file~~ image on the server computer, an
5 encrypted ~~file~~ image instead of the ~~requested~~ referenced unencrypted ~~file~~ image, if
6 the ~~requested~~ referenced unencrypted ~~file~~ image is designated by the protection
7 status information as being protected.

1 **13.** (currently amended) The system of claim **12** further comprising a
2 decoder residing on the client computer, for decrypting the encrypted file image
3 received by the client computer from the server computer.

1 **15.** (currently amended) A method for protecting ~~files~~ images distributed
2 over a network, comprising:
3 retrieving, at an administrative computer, a ~~site map of folders~~
4 ~~and files within~~ list of a plurality of web pages on a server computer file system web
5 site, and a list of a plurality of images that are referenced within any of the plurality
6 of web pages, the administrative computer being remote from the server computer
7 and communicatively coupled therewith;
8 displaying, by the administrative computer, the ~~site map~~ list of
9 web pages and the list of images to a user;
10 generating, by the administrative computer, protection status
11 information in response to selection by the user of ~~a plurality of files in~~ at least one
12 web page from the list of web pages or at least one image from the site map list of
13 images, the protection status information designating the ~~plurality of files~~ at least one
14 web page selected by the user as being protected web pages or the at least one
15 image selected by the user as being protected files images;
16 further displaying, by the administrative computer, characteristic
17 icons to indicate (i) web pages all of whose referenced images are protected, (ii)
18 web pages some but not all of whose referenced images are protected, and (iii) web
19 pages none of whose referenced images are protected;
20 sending the protection status information from the administrative
21 computer to the server computer; and
22 in response to a request from a client computer to download ~~an~~
23 a web page that references an unencrypted file image residing on the server
24 computer, transmitting an encrypted ~~file image~~ image to the client computer instead of the
25 requested referenced unencrypted ~~file image~~ image, if the requested referenced
26 unencrypted ~~file image~~ image is designated by the protection ~~statue~~ status as being
27 protected.

1 **16.** (currently amended) A system for protecting ~~files~~ images distributed
2 over a network, comprising:

3 a user interface within an administrative computer, (a) for
4 displaying a ~~site map of folders and files in~~ list of a plurality of web pages on a server
5 ~~computer file system~~ web site, and list of a plurality of images that are referenced
6 within any of the plurality of web pages, and (b) for displaying characteristic icons to
7 indicate (i) web pages all of whose referenced images are protected, (ii) web pages
8 some but not all of whose referenced images are protected, and (iii) web pages
9 none of whose referenced images are protected, the administrative computer being
10 remote from the server computer and communicatively coupled therewith;

11 a protection status manager within the administrative computer,
12 for generating protection status information in response to selection by a user of ~~a~~
13 ~~plurality of files in~~ at least one web page from the list of web pages or at least one
14 image from the ~~site map~~ list of images, the protection status information designating
15 the ~~plurality of files~~ at least one web page selected by the user as being protected
16 web pages or the at least one image selected by the user as being protected ~~files~~
17 images;

18 a transmitter within the administrative computer, for sending the
19 protection status information from the administrative computer to the server
20 computer; and

21 ~~a file~~ an image copy protector on the server computer for
22 controlling the server computer to transmit, in response to receiving a request from a
23 client computer to download a web page that references an unencrypted ~~file~~ image
24 on the server computer, an encrypted ~~file~~ image instead of the ~~requested~~ referenced
25 unencrypted ~~file~~ image, if the ~~requested~~ referenced unencrypted ~~file~~ image is
26 designated by the protection status information as being protected.

1 **17.** (currently amended) The method of claim **1** wherein the copy-protection
2 software running on the client computer blocks the ability to capture ~~data of a file~~ an
3 image being displayed on a computer screen.

1 **19.** (currently amended) The system of claim **4** wherein the copy-protection
2 module residing on the client computer blocks the ability to capture ~~data of a file~~ an
3 image being displayed on a computer screen.

1 **25.** (currently amended) A method of protecting ~~files~~ images distributed
2 over a network, comprising:

3 retrieving, at an administrative computer, a ~~site map of folders~~
4 ~~and files within~~ list of a plurality of web pages on a server computer file system web
5 site, and a list of a plurality of images that are referenced within any of the plurality
6 of web pages, the administrative computer being remote from the server computer
7 and communicatively coupled therewith;

8 displaying, by the administrative computer, the ~~site map~~ list of
9 web pages and the list of images to a user;

10 generating, by the administrative computer, protection status
11 information in response to selection by the user of ~~a plurality of files in~~ at least one
12 web page from the list of web pages or at least one image from the site map list of
13 images, the protection status information designating the ~~plurality of files~~ at least one
14 web page selected by the user as being protected web pages, or the at least one
15 image selected by the user as being protected files images;

16 further displaying, by the administrative computer, characteristic
17 icons to indicate (i) web pages all of whose referenced images are protected, (ii)
18 web pages some but not all of whose referenced images are protected, and (iii) web
19 pages none of whose referenced images are protected;

20 sending the protection status information from the administrative
21 computer to the server computer;

22 receiving, by the server computer, a request from a client
23 computer for ~~data within a file~~ a web page that references an image that is
24 designated by the protection status information as being protected; and

25 sending a substitute data image from the server computer to the
26 client computer in response to the request.

1 **26.** (currently amended) A system for protecting ~~files~~ images distributed
2 over a network, comprising:

3 a user interface within an administrative computer, (a) for
4 displaying a ~~site map of folders and files in~~ list of a plurality of web pages on a server
5 ~~computer file system web site~~, and a list of a plurality of images that are referenced
6 within any of the plurality of web pages, and (b) for displaying characteristic icons to
7 indicate (i) web pages all of whose referenced images are protected, (ii) web pages
8 some but not all of whose referenced images are protected, and (iii) web pages
9 none of whose referenced images are protected, the administrative computer being
10 remote from the server computer and communicatively coupled therewith;

11 a protection status manager within the administrative computer,
12 for generating protection status information in response to selection by a user of ~~a~~
13 ~~plurality of files in~~ at least one web page from the list of web pages or at least one
14 image from the ~~site map~~ list of images, the protection status information designating
15 the ~~plurality of files~~ at least one web page selected by the user as being protected
16 web pages, or the at least one image selected by the user as being protected ~~files~~
17 images;

18 a transmitter within the administrative computer, for sending the
19 protection status information from the administrative computer to the server
20 computer; and

21 ~~a file~~ an image copy protector on the server computer for
22 controlling the server computer to send ~~a~~ substitute ~~data~~ image to a client computer,
23 in response to receiving a request from the client computer for ~~data within a file~~ a
24 web page that references an image that is designated by the protection status
25 information as being protected.